

PRODUCTS

Home & lifestyle sourcing catalog

Explore 24 product types across eight categories, with material, size and construction references to help build your buying brief. Select a product reference to request a detailed catalog and quotation.

Build your sourcing brief. Specifications below describe named manufacturer reference models, helping you define materials, dimensions and construction. They are benchmarks for discussion; branded supply, customization, availability, MOQ and price are confirmed individually with quotation. Category photographs illustrate the range and are not photographs of each reference model.

YG-BED-001

Specification reference

Cotton-lyocell queen sheet set

A sateen bedding reference for a coordinated queen-size retail range.

Cotton-lyocell queen sheet set — reference specification

Composition	60% cotton / 40% lyocell
Weave	Sateen
Thread count	310 threads/in ²
Fitted sheet	1524 × 2032 mm / 60.00 × 80.00 in (W × L)
Flat sheet	2286 × 2641.6 mm / 90.00 × 104.00 in (W × L)
Pillowcase	508 × 762 mm / 20.00 × 30.00 in (W × L)
Set contents	1 fitted sheet, 1 flat sheet, 2 pillowcases
Care	Machine wash up to 60 °C; tumble dry medium

Discuss with your quotation

- Confirm mattress depth and size run
- Specify colorways, brand labels and set packaging
- Approve fabric hand feel and wash shrinkage

Reference model: IKEA · NATTJASMIN Queen, 006.011.53. [View published specification.](#)
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-BED-002

Specification reference

Two-layer all-season duvet insert

A detachable two-layer construction for seasonal bedding assortments.

Two-layer all-season duvet insert — reference specification

Shell	65% polyester / 35% cotton
Fill	100% recycled polyester hollow fiber
Finished size	2184.4 × 2184.4 mm / 86.00 × 86.00 in (W × L)
Thermal rating	Two layers: 4 + 7.5 TOG
Thread count	186 threads/in ²
Light-layer fill	708.738 g / 1.56 lb
Warm-layer fill	1332.43 g / 2.94 lb
Care	Machine wash up to 60 °C; tumble dry medium

Discuss with your quotation

- Confirm fill specification and warmth levels
- Review layer fasteners, corner loops and stitching
- Specify compressed packaging and care labels

Reference model: IKEA · SMÅSPORRE Full/Queen, 105.922.14. [View published specification.](#)
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-BED-003

Specification reference

High-loft queen pillow

A polyester-filled pillow reference with defined fill and finished weights.

High-loft queen pillow — reference specification

Shell	65% polyester / 35% cotton
Fill	100% recycled polyester ball fiber
Finished size	510 × 760 mm / 20.08 × 29.92 in (L × W)
Fill weight	670 g / 1.48 lb
Finished weight	755 g / 1.66 lb
Thread count	186 threads/in ²
Construction	High loft; ball-fiber filling

Discuss with your quotation

- Agree loft, resilience and fill tolerance
- Confirm pillow sizes and outer fabric
- Review compression recovery and retail packaging

Reference model: IKEA · VILDKORN high Queen, 004.605.82. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-FUR-001

Specification reference

Bentwood upholstered armchair

A compact high-back seating reference with a layered veneer frame.

Bentwood upholstered armchair — reference specification

Frame	Layer-glued wood veneer with birch veneer and clear lacquer
Cover	100% polyester
Overall size	680 × 820 × 1000 mm / 26.77 × 32.28 × 39.37 in (W × D × H)
Seat size	560 × 500 mm / 22.05 × 19.69 in (W × D)
Seat height	420 mm / 16.54 in
Foam density	32.04 kg/m ³ / 2.0 lb/ft ³
Care	Vacuum / damp wipe cushion; mild cleaner on frame

Discuss with your quotation

- Confirm seat comfort and foam density
- Specify fabric, frame finish and assembly hardware
- Review strength testing and carton protection

Reference model: IKEA · POÄNG Knisa / birch, 493.065.70. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-FUR-002

Specification reference

Four-compartment shelving unit

A square storage reference for boxed assortments and small-space retail ranges.

Four-compartment shelving unit — reference specification

Construction	Particleboard / fiberboard with paper honeycomb filling
Finish	Acrylic paint and plastic edging
Overall size	765 × 390 × 765 mm / 30.12 × 15.35 × 30.12 in (W × D × H)
Shelf load reference	13 kg / 28.66 lb (source model)
Source carton	810 × 410 × 190 mm / 31.89 × 16.14 × 7.48 in (L × W × H)
Packaged weight	12050 g / 26.57 lb
Installation	Assembly and secure wall anchoring required

Discuss with your quotation

- Confirm panel thickness and shelf-load requirement
- Specify insert compatibility and finish
- Review assembly instructions, wall fixing and drop testing

Reference model: IKEA · KALLAX white, 202.758.14. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

Square lightweight side table

A flat-pack side-table reference with a lightweight composite top.

Square lightweight side table — reference specification

Top	Particleboard / fiberboard with paper honeycomb filling
Legs	Particleboard / fiberboard with paper foil
Overall size	550 × 550 × 450 mm / 21.65 × 21.65 × 17.72 in (L × W × H)
Top load reference	10 kg / 22.05 lb (source model)
Source carton	750 × 550 × 50 mm / 29.53 × 21.65 × 1.97 in (L × W × H)
Packaged weight	3590 g / 7.91 lb
Care	Wipe clean; check and retighten fastenings

Discuss with your quotation

- Confirm top load and finish resistance
- Specify dimensions, edge finish and color
- Review hardware, assembly and corner protection

Reference model: IKEA · LACK white, 304.499.08. [View published specification.](#)
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-KIT-001

Specification reference

Seasoned cast-iron skillet

A durable cookware reference with a defined diameter, weight and care routine.

Seasoned cast-iron skillet — reference specification

Material	Cast iron
Cooking diameter reference	260.35 mm / 10.25 in
Overall size	409.448 × 271.272 × 50.8 mm / 16.12 × 10.68 × 2.00 in (L × W × H)
Finished weight	2567.33 g / 5.66 lb
Surface	Pre-seasoned with vegetable oil
Heat-source reference	Stovetop including induction; oven, grill and campfire
Care	Hand wash, dry thoroughly and oil

Discuss with your quotation

• Confirm casting weight, seasoning and handle design

• Review cookware testing for destination market

• Specify sleeve, box, care card and carton protection

Reference model: Lodge · 10.25-inch L8SK3. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-KIT-002

Specification reference

Folding aluminum dish rack

A two-tier draining-rack reference that folds down for storage.

Folding aluminum dish rack — reference specification

Frame	Aluminum
Unpackaged footprint	416.56 × 370.84 mm / 16.40 × 14.60 in (L × W)
Layout	Two-tier folding frame
Drainage	Integral ridged drain board
Utensil holder	Removable; mounts on either side
Feet	Non-slip
Storage	Folds flat

Discuss with your quotation

• Confirm drain-board material and plate capacity

• Specify corrosion resistance and hinge life

• Review folded height, color and retail carton

Reference model: OXO · Good Grips Aluminum Fold Flat Dish Rack. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-KIT-003

Specification reference

Five-size nesting food-container set

A graduated storage set reference for coordinated kitchen assortments.

Five-size nesting food-container set — reference specification

Set contents	5 containers with matching lids
Capacities	230 / 540 / 1,100 / 1,850 / 3,000 mL
Source set dimensions	163 × 200 × 245 mm / 6.42 × 7.87 × 9.65 in (W × D × H)
Storage	Nesting bases; snap-together lids
Closure reference	Airtight, leakproof lids
Care	Top-rack dishwasher; microwave reheating with lid loosened
Heat limitation	Not for ovens or grills

Discuss with your quotation

- Confirm resin, food-contact documentation and seals
- Review leak test, capacity tolerance and lid fit
- Specify color coding, label and pack format

Reference model: Joseph Joseph · Nest Lock 81081. [View published specification.](#)
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-APP-001

Specification reference

Corded glass-jar blender

A countertop blender reference with published jar capacity and peak power.

Corded glass-jar blender — reference specification

Jar capacity	1.183 L (40 US fl oz)
Jar	Glass
Peak motor power	700 W (peak)
Functions	12 functions
Control buttons	4 buttons
Power source	Corded mains; no built-in battery
Cleaning	Source jar is dishwasher-safe

Discuss with your quotation

- Confirm rated voltage, frequency, plug and continuous power
- Review blades, interlock and electrical documentation
- Specify housing, artwork and retail packaging

Reference model: Hamilton Beach · Power Elite 58148. [View published specification](#).
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-APP-002

Specification reference

Four-speed tabletop air circulator

A manually adjustable airflow reference with push-button speed selection.

Four-speed tabletop air circulator — reference specification

Speed settings	4 speeds
Control	Push-button
Direction	Adjustable horizontal-to-vertical tilt
Tilt hardware	Chrome glide bar
Air-reach claim (source)	30.48 m
Power source	Corded mains; no built-in battery

Discuss with your quotation

- Confirm rated power, voltage, plug and product dimensions
- Request airflow and noise measurements with test method
- Review guards, cleaning access and market documentation

Reference model: Vornado · 660 Large Whole Room Air Circulator. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-APP-003

Specification reference

One-gallon cool-mist humidifier

A removable-tank humidifier reference for a household electrical assortment.

One-gallon cool-mist humidifier — reference specification

Water tank	3.785 L (1 US gal)
Mist type	Ultrasonic cool mist
Output control	Variable output
Mist direction	Adjustable 360° lid
Tank	Removable with carry handle
Filtration	Filter-free; optional demineralization filter
Power source	Corded mains; no built-in battery

Discuss with your quotation

- Confirm voltage, plug, rated power and tank dimensions
- Review auto shutoff, tank cleaning and leak testing
- Specify housing colors and bilingual instructions

Reference model: Crane · Drop cool-mist humidifier. [View published specification.](#)
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-TEX-001

Specification reference

Midweight cotton crew-neck tee

A basic apparel reference with a defined fabric weight and relabeling feature.

Midweight cotton crew-neck tee — reference specification

Solid-color fabric	100% cotton
Fabric weight	183.091 g/m ² / 5.4 oz/yd ²
Fit	Classic
Label	Removable
Ash variant	98% cotton / 2% polyester
Athletic Heather variant	90% cotton / 10% polyester
Other heathers / neons	Composition varies; review selected color specification

Discuss with your quotation

- Confirm fabric composition for each color
- Approve size chart, shrinkage and colorfastness
- Specify printing, woven label and individual packing

Reference model: SanMar · Port & Co PC54, solid-color composition. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-TEX-002

Specification reference

Cotton-blend fleece pullover hoodie

A fleece apparel reference with a size run and measured large-size garment.

Cotton-blend fleece pullover hoodie — reference specification

Fabric	50% cotton / 50% polyester fleece
Fabric weight	264.465 g/m ² / 7.8 oz/yd ²
Source size run	S–6XL
Hood	Two-ply
Label	Tear-away
Large body length	742.95 mm / 29.25 in
Large flat chest width	609.6 mm / 24.00 in
Care	Cold wash inside out; tumble dry low; do not iron

Discuss with your quotation

- Agree size grading and flat-measurement tolerances
- Specify fleece hand feel and print / embroidery
- Review label, color approval and bagging

Reference model: SanMar · Port & Co PC78H. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-TEX-003

Specification reference

Cotton-blend piqué polo

A uniform-ready polo reference with defined fabric and placket construction.

Cotton-blend piqué polo — reference specification

Fabric	65% polyester / 35% cotton piqué
Fabric weight	169.529 g/m² / 5 oz/yd²
Source size run	XS–10XL
Collar / cuffs	Flat knit
Placket	Three buttons
Hem	Side vents
Large back body length	787.4 mm / 31.00 in
Care	Cold wash; tumble dry low; cool iron if needed

Discuss with your quotation

- Approve piqué structure, shrinkage and colorfastness
- Specify logo placement, buttons and labels
- Confirm size run and packing ratio

Reference model: SanMar · Port Authority K500. [View published specification.](#)
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-SHO-001

Specification reference

Microsuede moccasin slipper

A closed-toe comfort-footwear reference with a washable upper construction.

Microsuede moccasin slipper — reference specification

Upper	Microsuede
Lining	Terry
Footbed finish	Plaid
Cushioning	Memory-foam insole
Outsole	Indoor / outdoor rubber
Construction	Moccasin stitch and tie detail
Care	Machine washable

Discuss with your quotation

- Confirm size conversion, width and last
- Specify outsole thickness, grip and upper composition
- Approve comfort sample and shoebox / bag format

Reference model: Dearfoams · Toby 41547. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-SHO-002

Specification reference

Terry open-toe slide slipper

An easy-on indoor-footwear reference with multiple width options.

Terry open-toe slide slipper — reference specification

Upper	Plush terry
Lining / footbed	Terry with quilted footbed
Cushioning	Memory foam
Size labels	S / M / L / XL / XXL
Widths	Medium / wide
Outsole use	Indoor / outdoor
Care	Gentle cold machine wash; air dry flat

Discuss with your quotation

- Confirm numeric size conversion and fit
- Review terry weight, color and outsole material
- Specify embroidery, labels and pair packaging

Reference model: Dearfoams · Alice 51000. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YISONG · Sourcing reference catalog · Reviewed 7 October 2026 · sales@yisong.ca

12 / 17

YG-SHO-003

Specification reference

Suede shearling micro bootie

A seasonal footwear reference with natural shearling lining and a closed upper.

Suede shearling micro bootie — reference specification

Upper	Genuine suede
Lining	100% Australian shearling (source model)
Cushioning	Memory foam
Source sizes	US women 6–10
Outsole use	Indoor / outdoor
Silhouette	Micro bootie; easy-on construction

Discuss with your quotation

- Confirm leather grade, lining thickness and alternatives
- Agree last, size grading and outsole specification
- Review material traceability and seasonal packaging

Reference model: Dearfoams · Riverland 31203. [View published specification.](#)
Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-HAT-001

Specification reference

Stretch-fit six-panel cap

A structured cap reference with a defined stretch-fabric blend and crown height.

Stretch-fit six-panel cap — reference specification

Fabric	63% polyester / 34% cotton / 3% PU spandex
Panels	6
Profile	Mid; structured
Crown height	88.9 mm / 3.50 in
Closure	Closed-back stretch fit
Sizing	S/M: 6¾–7¼; L/XL: 7½–7¾ (US hat sizes)
Bill	Curved; eight stitching rows

Discuss with your quotation

- Confirm size fit and fabric colorways
- Review embroidery positions and backing
- Specify woven label, sweatband and packing

Reference model: Flexfit · 6277. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-HAT-002

Specification reference

Wool-blend flat-bill snapback

A high-crown cap reference with adjustable snap closure.

Wool-blend flat-bill snapback — reference specification

Main fabric	80% acrylic / 20% wool
White-color exception	100% acrylic
Panels	6
Profile	High; structured
Crown height	95.25 mm / 3.75 in
Closure	Adjustable snapback
Bill	Flat; eight stitching rows
Sizing	One size: 6¾–7¾ (US hat sizes)

Discuss with your quotation

- Confirm fiber content for each color
- Specify front embroidery, side labels and visor finish
- Review snap durability and carton shape retention

Reference model: Flexfit · YP Classics 6089M. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-HAT-003

Specification reference

Cuffed dense-knit beanie

A cold-season headwear reference with a defined uncuffed length.

Cuffed dense-knit beanie — reference specification

Fiber	100% acrylic
Uncuffed length (approx.)	304.8 mm / 12.00 in
Construction	Dense knit
Profile	Fold-up cuff
Sizing	One size fits all
Decoration reference	Dense cuff suitable for embroidery

Discuss with your quotation

- Specify knit gauge, finished weight and stretch recovery
- Confirm cuff depth and embroidery artwork
- Review woven label, fiber label and pack format

Reference model: Flexfit · YP Classics 1501KC. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-JWL-001

Specification reference

Sterling-silver oval cable necklace component

A fine-link necklace component reference for a pendant or centerpiece brief.

Sterling-silver oval cable necklace component — reference specification

Metal	Sterling silver; .925 purity
Component length	406.4 mm / 16.00 in
Chain width	1.3 mm / 0.05 in
End-ring outer diameter	2.9 mm / 0.11 in
Net weight (source)	2.369 g / 0.01 lb
Clasp	Lobster
Links	Soldered oval links
Configuration	Attachment ring at each end for a centerpiece

Discuss with your quotation

- Confirm final necklace length including centerpiece
- Specify alloy, finish and attachment design
- Review clasp operation and anti-tarnish packaging

Reference model: Rio Grande · 61952516, 16-inch variant. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-JWL-002

Specification reference

Black-rhodium wheat-chain necklace

A dark-finish fine-chain reference for fashion jewelry assortments.

Black-rhodium wheat-chain necklace — reference specification

Base metal	Sterling silver
Surface	Black rhodium plating
Link style	Diamond-cut wheat chain
Chain width	1.3 mm / 0.05 in
Selected length	609.6 mm / 24.00 in
Other source lengths	457.2 / 508 mm (18 / 20 in)

Discuss with your quotation

- Confirm base alloy, finish thickness and color sample
- Agree chain length, clasp and pendant fit
- Review restricted-substance requirements and gift packaging

Reference model: Rio Grande · 61678224, 24-inch variant. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.

YG-JWL-003

Specification reference

Square-tube sterling hoop earrings

A lightweight hoop reference with a defined diameter and tube profile.

Square-tube sterling hoop earrings — reference specification

Metal	Sterling silver; .925 purity
Hoop diameter	17 mm / 0.67 in
Tube profile	3 mm / 0.12 in
Construction	Square tubing
Finish	Bright white
Closure	Hinged click-in post
Sales unit	Pair

Discuss with your quotation

- Confirm alloy, finish and post dimensions
- Review closure tension and accessory options
- Specify display card, gift box and anti-tarnish protection

Reference model: Rio Grande · 697701. [View published specification](#). Reviewed 2026-10-07. Source-model parameters are a starting point for your brief; the supplied specification is confirmed with quotation.